




































PROMOTECH							
	Product:	Notes:				Order number:	
			Gekko	Lizard	Dragon	Rail Bull	Rail Bull 2

2.3. Accessories for DRAGON / DRAGON HS								
	Geared Rack 540 mm	total length: 540 mm (21.3") length of the rack: 480 mm (18.9") Also for Rail Bull without oscillation						RAM-0525-07-00-00-0
	Geared Rack 300 mm	total length: 301 mm (11.9") length of the rack: 241 mm (9.5") Also for Rail Bull without oscillation						RAM-0475-07-01-00-0
	Geared Rack 700 mm	total length: 707 mm (27.9") length of the rack: 647 mm (25.5") Also for Rail Bull without oscillation						RAM-0475-07-03-00-0
	Geared Rack 1000 mm	total length: 1000 mm (39.4") length of the rack: 940 mm (37") Also for Rail Bull without oscillation						RAM-0475-23-00-00-0
	Counterweight	1.3 kg (2.9 lbs)						PWG-0475-09-00-00-0
	Large Counterweight	2,6kg (5,7lbs)						PWG-0475-10-00-00-0
	Track Assembly	1800mm (70,9") V" Groove Center Line 152mm (6")						TRO-0475-13-00-00-0
	Roller supporter							PDT-0475-26-00-00-0
	Clamping block (small)							KST-0525-11-00-00-0
	Clamping block (large)							KST-0475-82-00-00-0
	Cable Anchor							PDT-0475-34-00-00-0
	Precise Torch Holder with angle and height adjustment							UCW-0475-08-00-00-0

PROMOTECH								
	Product:	Notes:	Gekko	Lizard	Dragon	Reil Bull	Reil Bull 2	Order number:
	Machine Barrel Torch Holder	φ 30mm (1.18") For oxy-fuel cutting						UCW-0475-61-00-00-0
	Machine Barrel Torch Holder	φ 35mm (1.38") For oxy-fuel cutting						UCW-0475-29-00-00-1
	Precise Machine Torch Holder	φ 30mm (1.18") For oxy-fuel cutting						UCW-0475-59-00-00-0
	Precise Machine Torch Holder	φ 35mm (1.38") For oxy-fuel cutting						UCW-0475-42-00-00-1
	Circle Cutting Attachment	Allows cutting holes with the radius of 240–1000 mm (9.4–39.4", when using the standard geared rack)						CYR-0475-22-00-00-0
	Circle Cutting Attachment	Allows cutting holes with the radius of 400 – 2500 mm						CYR-0475-83-00-00-0
	Plasma Arc Ignition	Dragon HS						ZSP-0475-58-00-00-0
	Arc ignition cable	Dragon HS						KBL-0475-58-05-00-0
	Manifold 2x2 (metric)	For oxy-fuel cutting						RZD-0475-64-00-00-0
	Manifold 2x2 with cut-off valve (metric)	For oxy-fuel cutting						RZD-0475-65-00-00-0
	Manifold 2x3 (metric)	For oxy-fuel cutting						RZD-0475-63-00-00-0
	Manifold 2x3 with cut-off valve (metric)	For oxy-fuel cutting						RZD-0475-66-00-00-0
	Manifold 3/3 (metric)	For oxy-fuel cutting						RZD-0475-74-00-00-0
	Manifold 3/3 with cut-off valve (metric)	For oxy-fuel cutting						RZD-0475-72-00-00-0

PROMOTECH								
	Product:	Notes:	Gekko	Lizard	Dragon	Reil Bull	Reil Bull 2	Order number:
	Manifold 2x2 (1/4 inch)	For oxy-fuel cutting						RZD-0475-68-00-00-0
	Manifold 2x2 with cut-off valve (1/4 inch)	For oxy-fuel cutting						RZD-0475-70-00-00-0
	Manifold 2x3 (1/4 inch)	For oxy-fuel cutting						RZD-0475-67-00-00-0
	Manifold 2x3 with cut-off valve (1/4 inch)	For oxy-fuel cutting						RZD-0475-69-00-00-0
	Manifold 3/3 (1/4 inch)	For oxy-fuel cutting						RZD-0475-73-00-00-0
	Manifold 3/3 with cut-off valve (1/4 inch)	For oxy-fuel cutting						RZD-0475-71-00-00-0
	Gas manifold bracket	For oxy-fuel cutting						PDT-0475-87-00-00-0
	Heat protection shield (left)	Provides additional carriage protection						OSL-0475-54-00-00-0
	Heat protection shield (right)	Provides additional carriage protection						OSL-0475-55-00-00-0
	Heat protection shield (bottom)	Provides additional carriage protection						OSL-0475-53-00-00-0