

































PROMOTECH								
	Product:	Notes:	<i>Gekko</i>	<i>Lizard</i>	<i>Dragon</i>	<i>Rail Bull</i>	<i>Rail Bull 2</i>	Order number:

2.4. Accessories for Rail Bull								
	Track Dual Magnetic Unit	For use with: Flexible trackway (Bracket required) Semi-flexible Track (Bracket required) Rigid Track (Bracket required) Track Assembly						ZSP-0475-44-00-00-0
	Magnetic narrow unit with hexagon	For use with: Flexible trackway (Bracket required) Semi-flexible Track (Bracket required) Rigid Track Track Assembly						PDS-0582-10-00-02-0
	Magnetic pivoting unit	For use with: Flexible trackway (Bracket required) Semi-flexible Track (Bracket required) Rigid Track						ZSP-0475-85-00-00-0
	Magnetic spacing-adjustable unit	For use with: Flexible trackway (Bracket required) Semi-flexible Track (Bracket required) Rigid Track						ZSP-0523-19-00-00-0
	Modular vacuum unit	For use with: Flexible trackway (Bracket required) Semi-flexible Track (Bracket required) Rigid Track Track Assembly Required: 4 per rail (work in horizontal position) 7 per rail (work on walls or curvatures)						MST-0541-10-02-00-0
	Rigid Track	length 2 m (6.5 ft)						PRW-0482-47-00-00-0
	Bracket for Rigid Track	For use with: Track Dual Magnetic Unit Magnetic pivoting unit Magnetic spacing-adjustable unit						DYS-0482-21-00-00-0
	Semi-flexible track	Allows guiding the carriage along a curvature. The length of a single rail is 2 m (6.5 ft)						PRW-0482-15-05-00-0
	Gear rack adjustment tool	To eliminate the clearance between gear racks						PKT-0341-13-00-00-0
	Bracket for Semi-flexible Track	For use with: Track Dual Magnetic Unit, Magnetic pivoting unit, Magnetic spacing-adjustable unit						DYS-0482-19-00-00-0
	Bracket for for Semi-flexible Track	For use with: Magnetic narrow Unit						DYS-0582-10-00-00-0
	Bracket for for Semi-flexible Track	For use with: Modular vacuum unit						DYS-0541-11-01-00-0
	Track support for Semi-flexible Track	To be used with Semi-flexible Track in place of: Trac dual magnetic unit Magnetic narrow unit						WSP-0523-12-01-00-1

PROMOTECH								
	Product:	Notes:						Order number:
			Gekko	Lizard	Dragon	Rail Bull	Rail Bull 2	
	Aluminum track support for Semi-flexible Track (for stainless steel)	To be used with Semi-flexible Track in place of: Magnetic pivoting unit Magnetic spacing-adjustable unit						WSP-0541-11-02-00-0
	Rigid track support set	To convert Semi-flexible Track into a Rigid Track						WSP-0523-13-01-00-0
	Track support for rigid track support set	To be used with Semi-flexible Track + Rigid track support set in place of Trac DualMagnetic Units						WSP-0523-13-02-00-0
	Transport attachment							PEP-0482-18-00-00-0
	Gas manifold bracket	for oxy-fuel cutting						WSP-0525-12-00-00-0
	Slide							ZSP-0475-62-00-00-0
	Portable vacuum pump with safety reservoir							115V: AGR-0541-10-10-00-0 (UK plug) 230V: AGR-0541-10-20-00-0
	Pump connection hose	Connects pump to entry vacuum unit (10m, 33 ft) Required: 1 (serial connection) 2-4 (parallel connection)						PWD-0541-06-00-00-0
	2-meter / 7-foot hose for interconnecting vacuum units within rail tracks	Should be cut to the required length Required: 1 per track						PWD-0541-10-07-00-0
	Cut-off valve for entry vacuum unit	(seal included)						ZWR-0541-10-01-30-0
	Threaded plug (for end vacuum unit)	(seal included) Required: 1 per track (serial connection) 1 per rail (parallel connection)						KRK-0541-99-00-00-0
	Safety eye bolt	Required: 2 per rail						SRB-000365

PROMOTECH								
	Product:	Notes:	Gekko	Lizard	Dragon	Rail Bull	Rail Bull 2	Order number:
	Coupled hose	For interconnecting vacuum units of different rail tracks Required: 1 per additional rail (serial connection)						PWD-0541-10-04-00-0
	4-way manifold with connection cable	Allows: *separate connection of vacuum units to up to four rails *rail leapfrogging during operation Required: 1 per vacuum pump (parallel connection)						RZD-0541-04-00-00-0
	Hose extension adapter	(compatible with quick connector)						LCZ-0541-05-00-00-0
	Vacuum pad	spare part						SSW-0541-99-01-00-0
	Hose clamp							OPS-000005
	Hose fitting							KRC-000013
	Quick coupling							SZB-000018